I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Assistant Commissioner for Patents Washington, D.C. 20231

On

TOWNSEND and TOWNSEND and CREW,

By:_

Attorney Docket No.: 18097-030300U

3/1/

09/724869

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

JUHA PUNNONEN, et al.

Application No.: 09/248,716

Filed: February 10, 1999

For: OPTIMIZATION OF IMMUNO-MODULATORY PROPERTIES OF GENETIC VACCINES Examiner:

Unassigned

Art Unit:

1636

INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR §1.97 and

§1.98

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

The references cited on attached form PTO-1449 are being called to the attention of the Examiner. Copies of the references are enclosed. Also enclosed is a copy of the Search/Examination report corresponding to the PCT application. It is respectfully requested that the cited information be expressly considered during the prosecution of this application, and the references be made of record therein and appear among the "references cited" on any patent to issue therefrom.

As provided for by 37 CFR 1.97(g) and (h), no inference should be made that the information and references cited are prior art merely because they are in this statement and

JUHA PUNNONEN, et al. Application No.: 09/248,716

Page 2

no representation is being made that a search has been conducted or that this statement encompasses all the possible relevant information.

Applicant believes that <u>no fee is required</u> for submission of this statement, since it is being submitted prior to the first Office Action. However, if a fee is required, the Commissioner is authorized to deduct such fee from the undersigned's Deposit Account No. 20-1430. Please deduct any additional fees from, or credit any overpayment to, the above-noted Deposit Account.

Respectfully submitted,

Timothy L. Smith Reg. No. 35,367

TOWNSEND and TOWNSEND and CREW LLP Two Embarcadero Center, 8th Floor San Francisco, California 94111-3834

Tel: 415-576-0200 Fax: 415-576-0300

TLS:sb:clc

SF 1029516 v1

FORM PTO-1449 (Modified)		Attorney Docket No.: 18097-030300US		Application No	Application No.: 09/248,716	
	NTS AND PUBLI		Applicant: JUHA PUNN	ONEN, et al.		···
	INFORMATION Use several sheets		Filing Date: February 10, 1999		Group: 1636	
Reference Desig	gnation	1	J.S. PATENT DOCUME	NTS		Page 1
Examiner Initial	Document No.	Date	Name	Class	Sub-class	Filing Date (If Appropriate)
A	5,939,250	08/17/99	Short			0 =
B	5,605,793	02/17/94				T _T O
C	5,834,252	04/18/95				8. 8. 8. 8. 8. 8. 8.
D	5,830,721	10/30/95				2 2 8 8 2 C
E	5,811,238	11/30/95				26/
F	5,928,905	07/03/96				S =
	<u> </u>	FOI	REIGN PATENT DOCU	MENTS		
	Document No.	Date	Country	Class	Sub-class	Translation (Yes/No)
G	WO 97/20078	June 5, 1997	PCT			
Н	WO 98/13485		PCT			
I	WO 98/42727		PCT			
	07	THER ART (Incl	uding Author, Title, Date	e, Pertinent Pages,	Etc.)	
J	Baba et al., "Identification of CCR6, the Specific Receptor for a Novel Lymphocyte-directed CC Chemokine LARC," The J. of Biolog. Chem. 272 (23): 14893-14898 (1997).					
К	Beck et al., "DNA Sequence Analysis of 66 kb of the Human MHC Class II Region Encoding a Cluster of Genes for Antigen Processing," J. Mol. Biol. 228:433-441 (1992)					
L	Blachere et al., "Heat Shock Protein-Peptide Complexes, Reconstituted In Vitro, Elicit Peptide-specific Cytotoxic T Lymphyocyte Response and Tumor Immunity," J. Exp. Med. 186:1315-22 (1997)					
M	Botstein and Shortle, "Strategies and Applications of in Vitro Mutagenesis," Science 229:1193-1201 (1985)					
N	Carter et al., "Improved oligonucleotide site-directed mutagenesis using M13 vectors," Nucl. Acids Res. 13:4431-4443 (1985)					
0	Carter, "Improved Oligonucleotide-Directed Mutagenesis Using M13 Vectors," Methods in Enzymol. 154:382-403 (1987)					
P	Carter, "Site-di	Carter, "Site-directed mutagenesis," Biochem. J. 237:1-7 (1986)				
Q		Chen et al., "Discontinuous epitopes of hepatitis B surface antigen derived from a filamentous phase peptide library," Proc. Nat'l. Acad. Sci. USA 93:1997-2001 (1996)				
R	Christians, F.C. et al., "Directed evolution of thymidine kinase for AZT phosphorylation using DNA family shuffling," Nature Biotechnology 17:259-264 (1999)					
S	Craiu et al., "Two distinct proteolytic processes in the generation of a major histocompatibility complex class I-presented peptide," Proc. Nat'l. Acad. Sci. USA 94:10850-10855 (1997)					
Т	Crameri, A. et al., "Combinatorial Multiple Cassette Mutagenesis Creates All the Permutations of Mutant and Wild- Type Sequences," Biotechniques 18:194-195 (1995)					
Ŭ	Crameri, A. et al., "Construction and evolution of antibody-phage libraries by DNA shuffling," Nature Medicine 2:100-103 (1996)					
V	Crameri, A. et al., "DNA shuffling of a family of genes from diverse species accelerates directed evolution," Nature 391:288-291 (1998)					
W	Crameri, A. et al., "Improved Green Fluorescent Protein by Molecular Evolution Using DNA Shuffling," Nature Biotechnology 14:315-319 (1996)					
x	Crameri, A. et al., "Molecular evolution of an arsenate detoxification pathway by DNA shuffling," Nature Biotechnology 15:436-438 (1997)					
Y	Cresswell & Hi	ughes, "Protein de	gradation: The ins and ou	ts of of the matter,"	Curr. Biol. 7:R552	2-R555 (1997)

V...

FORM PTO-1449 (Modified)		Attorney Docket No.: 18097-030300US	Application No.: 09/248,716	
LIST OF PATENTS AND PUBLICATIONS FOR		Applicant: JUHA PUNNONEN, et al.		
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Filing Date: February 10, 1999	Group: 1636	
Z	Dieu et al.,"Selective Recruitment of Immature and Mature Dendritic Cells by Distinct Chemokines Expressed in Different Anatomic Sites," J. Exp. Med. 188:373-386 (1998)			
AA	Eghtedarzadeh and Henikoff, "Use of oligonucleotides to generate large deletions," Nucl. Acids Res. 14:5115 (1986)			
AB	Freeman et al., "B7-1 and B7-2 Do Not Deliver Identical Costimulatory Signals, Since B7-2 but Not B7-1 Preferentially Costimulates the Initial Production of IL-4," <i>Immunity</i> 2:523 (1995)			
AC	Fritz et al. "Oligonucleotide-directed construction of mutations: a gapped duplex DNA procedure without enzymatic reactions in vitro," Nucl. Acids Res. 16:6987-6999 (1988)			
AD	Gaczynska et al.,"Proteasome Subunits X and Y alter Peptidase Activities in Opposite Ways to the Interferon-γ-induced Subunits LMP2 and LMP7*, J. Biol. Chem. 271:17275-17280 (1996)			
AE	Gates, C.M. et al., "Affinity Selective Isolation of Ligands from Peptide Libraries Through Display on a lac Repressor 'Headpiece Dimer'" J. Mol. Biol. 255:1-14 (1995)			
AF	Groettrup et al.,"The subunits MECL-1 and LMP2 are mutually required for incorporation into the 20S proteasome," Proc. Nat'l. Acad. Sci. USA 94:8970-8975 (1997)			
AG	Groettrup et al., "A third interferon -γ-induced subunit exchange in the 20S proteasome," Eur. J. Immunol. 26:863-869 (1997)			
AH	Groux et al.,"A CD4+ T-cell subset inhibits antigen-specific T-cell responses and prevents colitis," Nature 389:737 (1997)			
AI	Grundstrom et al., "Oligonucleotide-directed mutagenesis by microscale 'shot-gun' gene synthesis," "Nucleic Acids Res. 13:3305-3316 (1985)			
AJ	Irvine, K.R. et al., "Cytokine Enhancement of DNA Immunization Leads to Effective Treatment of Established Pulmonary Metastases," Journal of Immunology, 156:238-245 (1996)			
AK	Jiang et al., "Subtraction hybridization identified a novel melanoma differentiation associated gene, mda-7, modulated during human melanoma differentiation, growth and progression," Oncogene 11:2477 (1995)			
AL	Jiang et al., "The melanoma differentiation associated gene mda-7 suppresses cancer cell growth," Proc. Nat'l. Acad. Sci. USA 93:9160 (1996)			
AM	Karandikar et al.,"CTLA-4: A Negative Regulator of Autoimmune Disease," J. Exp. Med. 184:783 (1996)			
AN	Kim et al., "In Vivo Engineering of a Cellular Immune Response by Coadministration of IL-12 Expression Vector with a DNA Immunogen," J. Immunol. 158:816 (1997)			
AO	Klinman, D.M. et al., "Contribution of CpG Motifs to the Immunogenicity of DNA Vaccines," Journal of Immunology, 158:3635-3639 (1997)			
AP	Klinman et al., "CpG motifs present in bacterial DNA rapidly induce lymphocytes to secrete interleukin 6, interleukin 12 and interferon γ," Proc. Nat'l. Acad. Sci. USA 93:2879 (1996)			
AQ	Kobayashi et al., "Identification and Purification of Natural Killer Cell Stimulatory Factor (NKSF), A Cytokine wit Multiple Biologic Effects an Human Lymphocytes," J. Exp. Med. 170:827 (1989)			
AR	Kodama et al., "Type I macrophase scavenger receptor contains -helical and collagen-like coiled coils," Nature 343:531-535 (1990)			
AS	Koopman et al., "Generation, intracellular transport and loading of peptides associated with MHC class 1 molecules," Curr. Opin. Immunol. 9:80-88 (1997)			
AT	Kramer et al., "Different Base/Base Mismatches Are Corrected with Different Efficiencies by the Methyl-Directed DNA Mismatch-Repair System of E. coli," Cell 38:879-887 (1984)			
AU	Kramer and Fritz, "Oligonucleotide-Directed Construction of Mutations via Gapped Duplex DNA," Methods in Enzymol. 154:350-367 (1987)			
AV	Kramer et al., "The gapped duplex DNA approach to oligonucleotide-directed mutation construction," Nucl. Acids Res. 12:9441-9456 (1984)			
AW	Kramer et al. 'Improved Enzymatic in vitro reactions in the gappee duplex DNA approach to oligonucleotide-directed construction of mutations," Nucl. Acids Res. 16:7207 (1988)			
AX	Krieg et al., "CpG motifs in bacterial DNA trigger direct B-cell activation," Nature 374:546 (1995)			

	:			
FORM PTO-14	49 (Modified)	Attorney Docket No.: 18097-030300US	Application No.: 09/248,716	
LIST OF PATENTS AND PUBLICATIONS FOR		Applicant: JUHA PUNNONEN, et al.		
	INFORMATION DISCLOSURE (Use several sheets if necessary)	Filing Date: February 10, 1999	Group: 1636	
AY	Krieger, M. et al., "Molecular Flyp	paper, Atherosclerosis, and Host Defense: Start Cold Spring Harbor Symposia on Quantitation	ructure and Function of the ive Biology 57:605-609 (1992)	
AZ	Kruse et al., "Conversion of human interleukin-4 into a high affinity antagonist by a single amino acid replacement," EMBO J. 11:3237-3244 (1992)			
BA	Kuchroo et al., "B7-1 and B7-2 Costimulatory Molecules Activate Differentially the Th1/Th2 Developmental Pathways: Application to Autoimmune Disease Therapy," Cell 80:707 (1995)			
BB	Kunkel et al.," Rapid and Efficient Site-Specific Mutagenesis without Phenotypic Selection," Methods in Enzymol. 154:367-382 (1985)			
BC	Kunkel, "Rapid and efficient site-specific mutagenesis without phenotypic selection," Transporter Associated with Antigen-Processing-1 (TAP1) Alleles in <i>Gorilla gorilla</i> : diversification of the Locus Postspeciation," <i>Proc. Nat'l. Acad. Sci. USA</i> 82:488-492 (1985)			
BD	Kunkel, "The efficiency of oligonucleotide directed mutagenesis" Nucleic acids & Molecular Biology 2: 124-135 (1988)			
BE	Liao et al., STRL22 is a Receptor for the CC Chemokine MIP-3α," Biochem. and Biophys. Comms. 236: 212-217 (1997).r			
BF	Laud et al., Human Immunol. 50:91-102 (1996)			
BG	Liblau et al. "Th1 and Th2 CD4+ cells in the pathogenesis of organ-specific autoimmune diseases," Immunol. Today 16:34-38 (1995)			
BH	Lieschke et al.,"Bioactive murine and human interleukin-12 fusion proteins which retain antitumor activity in vivo," Nature Biotech. 15:35 (1997)			
BI .	Marusina et al.,"Allelic Variation in the Mouse Tap-1 and Tap-2 Transporter Genes," J. Immunol. 158:5251-5256 (1997)			
BJ	Minshull, J. and Willem P.C. Stemmer, "Protein evolution by molecular breeding," Current Opinion in Chemical Biology 3:284-290 (1999)			
BK	Monaco, "Pathways for the processing and presentation of antigens to T cells," J. Leukocyte Biol. 57:543-57 (1995)			
BL	Mosmann and Coffman, Adv. Immunol. 46:111 (1989)			
BM	Nakamaye and Eckstein, "Inhibition of restriction endonuclease Nci I cleavage by phosphorothioate groups and its application to oligonucleotide-directed mutagenesis," <i>Nucl. Acids Res.</i> 14:9679-9698 (1986)			
BN	Nambiar et al.,"Total Synthesis and Cloning of a Gene Coding for the Ribonuclease S Protein," Science 223:1299-1301 (1984)			
BO	Parronchi et al., "IL-4 and IFN (α and γ) Exert Opposite Regulatory Effects on the Development of Cytolytic Potential by Th1 or Th2 Human T Cell Clones," J. Immunol. 149:2977 (1992)			
BP	Patten, P.A. et al., Applications of DNA Shuffling to Pharmaceuticals and Vaccines," Current Opinion in Biotechnology, 8:724-733 (1997)			
BQ	Paul and Seder, "Lymphocyte Responses and Cytokines," Cell 76:241 (1994)			
BR	Pisetsky, "Immune Activation by Bacterial DNA: A New Genetic Code," Immunity 5:303-10 (1996)			
BS	Powis et al., "Polymorphism in a second ABC transporter gene located within the class II region of the human major hisotcompatibility complex, "Proc. Nat'l. Acad. Sci. USA 89:1463-1467 (1996)			
BT	Punnonen et al., "Interleukin 13 induces interleukin 4-independent IgG4 and IgE synthesis and CD23 expression by human B cells," Proc. Nat'l. Acad. Sci. USA 90:3730 (1993)			
BU	Reiser et al., "Cloning and expression of a cDNA for the T-cell-activating protein TAP," Proc. Nat'l. Acad. Sci. USA 85:2255-2259 (1988)			
BV	Sakamar and Khorana, "Total synthesis and expression of a gene for the a-subunit of bovine rod outer segment guanine nucleotide-binding protein (transducin), Nucl. Acids Res. 14:6361-6372 (1988)			
BW	Sayers et al. "Strand specific cleavage of phosphorothioate-containing DNA by reaction with restriction endonucleases in the presence of ethidium bromide,", Nucl. Acids Res. 16:803-814 (1988)			

		The state of the s	
	Ü,A		
FORM PTO-14	49 (Modified)	Attorney Docket No.: 18097-030300US	Application No.: 09/248,716
	ENTS AND PUBLICATIONS FOR	Applicant: JUHA PUNNONEN, et al.	11
	S INFORMATION DISCLOSURE (Use several sheets if necessary)	Filing Date: February 10, 1999	Group: 1636
BX	Sayers et al., "5'-3' Exonucleases in phosphorothioate-based oligonucleotide-directed mutagenesis," Nucl. Acid. Res. 16:791-802 (1988)		
BY	Smith, "In Vitro Mutagenesis," Ann. Rev. Genet. 19:423-462 (1985)		
BZ	Stemmer, W.P.C. and N.W. Soong, "Molecular breeding of viruses for targeting and other clinical properties," Tumor Targeting 4:1-4 (1999)		
CA	Stemmer, W.P.C. et al., "Single-step assembly of a gene and entire plasmid from large numbers of oligodeoxyribonucleotides," Gene 164:49-53 (1995)		
СВ	Stemmer, W.P.C., "DNA shuffling by random fragmentation and reassembly: <i>In vitro</i> recombination for molecular evolution," <i>Proc. Natl. Acad. Sci. USA</i> 91:10747-10751 (1994)		
cc	Stemmer, W.P.C., "Rapid evolutio	n of a protien in vitro by DNA shuffling," Nat	ture 370 :389-391 (1994)
CD	Stemmer, W.P.C., "Searching Sequ	uence Space," Biotechnology 13:549-553 (199	25)
CE	Stemmer, W.P.C., "Sexual PCR and Assembly PCR," The Encyclopedia of Molecular Biology, VCH Publishers, New York pp. 447-457 (1996)		
CF	Stemmer, W.P.C., "The Evolution of Molecular Computation," Science 270:1510 (1995)		
CG	Stern et al., "Purification to homogeneity and partial characterization of cytotoxic lymphocyte maturation factor from human B-lymphoblastoid cells," Proc. Nat'l. Acad. Sci. USA 87:6808 (1990)		
СН	Stohwasser et al., "Molecular cloning of the mouse proteasome subunits MC14 and MECL-1: reciprocally regulated tissue expression of interferon -γ-modulated proteasome subunits," Eur. J. Immunol. 27:1182-1187 (1997)		
CI	Tahara et al., "IL-12 Gene Therapy Using Direct Injection of Tumors with Genetically Engineered Autologous Fibroblasts," Human Gene Therapy 6:1607 (1995)		
CJ	Tan et al., "Characterizationof Recombinant Extracellular Domain of Human Interleukin-10 Receptor," J. Biol. Chem. 270:12906 (1995)		
CK	Taylor et al., "The rapid generation phosphorothioate-modified DNA,"	of oligonucleotide-directed mutations at high Nucl. Acids Res. 13:8765-8787 (1985)	frequency using
CL	Nucl. Acids Res. 13:8749-8764 (19		
CM	Thierfelder et al. "Requirement for 382:171 (1996)	Stat4 in interleukin-1-2-mediated responses o	f natural killer and T cells", Natur
CN	Villinger et al., "Comparative Sequ Immunol. 155:3946-3954 (1995)	ence Analysis of Cytokine Genes from Huma	n and Nonhuman Primates," J.
co	Walunas et al., "CTLA-4 Can Function as a Negative Regulator of T Cell Activation," Immunity 1:405 (1994)		
CP	Wells et al., "Cassette mutagenesis: an efficient method for generation of multiple mutations at defined sites," Gen 34:315-323 (1985)		
co	Wells et al., "Importance of hydrogen-bond formation in stabilizing the transition state of subtilisin," Phil. Trans. Soc. Lond. A317:415-423 (1986)		
CR	Wloch et al., "The Influence of DNA Sequence on the Immunostimulatory Properties of Plasmid DNA Vectors," Hum. Gene Ther. 9:1439-1447 (1998)		
Cs	Xiang, Z. et al., "Manipulation of the Immune Response to a Plasmid-Encoded Viral Antigen by Coinoculation with Plasmids Expressing Cytokines," <i>Immunity</i> 2:129-135 (1995)		
СТ	Zhang, J. et al., "Directed evolution of a fucosidase from a galactosidase by DNA shuffling and screening," Proc. Natl. Acad. Sci. USA 94:4504-4509 (1997)		
CU	Zoller and Smith, "Oligonucleotide-Directed Mutagenesit of DNA Fragments Cloned into M13 Vectors," Methods in Enzymol. 100:468-500 (1983)		
CV	Zoller and Smith, "Oligonucleotide-Directed Mutagenesis: A Simple Method using Two Oligonucleotide Primers and a Single-Stranded DNA Template," <i>Methods in Enzymol.</i> 154:329-350 (1987)		
CW	Zoller and Smith, "Oligonucleotide procedure for the production of points."	-directed mutagenesis using M13-derived vector at mutations in any fragment of DNA," Nucl. A	tors: an efficient and general Acids res. 10:6487-6500 (1982)

FORM PTO-1449 (Modified)	Attorney Docket No.: 18097-030300US	Application No.: 09/248,716	
LIST OF PATENTS AND PUBLICATIONS FOR	Applicant: JUHA PUNNONEN, et al.		
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Filing Date: February 10, 1999	Group: 1636	
CX			
EXAMINER	DATE CONSIDERED		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

SF 1029516 v1

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.